

SUPPLEMENT TO

The Gazette of India



No. 28]

NEW DELHI, SATURDAY, JULY 9, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th June, 1955

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) AND PART (C)																Assam—contd.															
Ajmer								(Estd. mid-year pop. 9,672 thousands.)																							
TOTAL								Total for w/e 4-6-55								Total for w/e 28-5-55								7-yearly mean for the week							
(Estd. mid-year pop. 741 thousands.)																															
Total for w/e 4-6-55								Total for w/e 28-5-55								7-yearly mean for the week															
Andhra								Bhopal								"N.R."															
Srikakulam								Visakhapatnam								Bihar															
Godavari East								Patna								Gaya								Shahabad							
Krishna								Saran								Muzaffarpur								Darbhanga							
Guntur								Hazaribagh								Manbhum								Singhbhum							
Nellore								TOTAL								TOTAL															
Kurnool								(Estd. mid-year pop. 21,013 thousands.)								(Estd. mid-year pop. 41,828 thousands.)															
Anantapur								Total for w/e 4-6-55								Total for w/e 28-5-55								7-yearly mean for the week							
Chittoor																															
TOTAL																															
Assam								Cochar								TOTAL															

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th June, 1955—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay								Delhi— <i>contd.</i>							
Greater Bombay	6	1	(Estd. mid-year pop. 1,744 thousands.)	5	1
Ahmedabad	1	Total for w/e 4-6-55	5	1
Kaira	4	Total for w/e 28-5-55	3
Broach	..	1	7-yearly mean for the week	1
Satara South	..	1	1	Himachal Pradesh							
Ahmednagar	21	2	"N.R."							
East Khandesh	16	3	Madhya Pradesh							
West Khandesh	..	3	1	17	3	Nagpur	56	16
Nasik	13	6	Wardha	2
Satara North	12	3	Chhindwara	46	12
Sholapur	2	Betul	4
Belgaum	..	1	1	Bhandara	87	32
Bijapur	..	49	8	Jabalpur	39	1
Dharwar	..	4	Sagar	39	12
Kanara	1	Hoshangabad	1	186	10
Kolhapur	..	1	Nimar	9
TOTAL	60	11	93	18	Balaghat	13	6
(Estd. mid-year pop. 38,892 thousands.)								Raipur	16
Total for w/e 4-6-55	18	6	135	16	Bilaspur	6	3	7	4	..
Total for w/e 28-5-55	9	6	165	20	Durg	14	1
7-yearly mean for the week	58	18	131	24	Bastar	8	1
Coorg								Raigarh	11
TOTAL	5	1	Amravati	32	1
(Estd. mid-year pop. 256 thousands.)								Ycetmal	35	4
Total for w/e 4-6-55	3	Akola	52	3
Total for w/e 28-5-55	8	Buldana	27	1
7-yearly mean for the week	TOTAL	7	3	691	104
Delhi								(Estd. mid-year pop. 21,948 thousands.)							
Delhi City	3	Total for w/e 4-6-55	5	5	485	68
Delhi Notified Area	1	Total for w/e 28-5-55	295	36
TOTAL	3	1	7-yearly mean for the week	121	71	102	15

Explanation of Symbols used : C.—Cases ; D.—Deaths; .. = Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th June, 1955—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Uttar Pradesh—contd.								Grand Total for States Parts (A) and (C) (except Bhopal, Vindhya Pradesh, and Himachal Pradesh)															
Unao						1						715	272	1120	246								
Rae Bareilly						10	3					(Estd. mid-year pop. 2,95,062 thousands.)											
Sitapur						8	1					Corresponding Total for w/e 4-6-55											
Hardoi						7	5					572	252	1110	233								
Kheri						2	2					Corresponding Total for w/e 28-5-55											
Faizabad						1						757	319	922	187	1	1						
Gonda						2						STATES PART (B)											
Bahraich						3	2					Hyderabad											
TOTAL						133	72					Warrangal				1	1						
Estd. mid-year pop. 66,112 thousands.)												Medak				3	1						
Total for w/e 4-6-55		9	6	200	68							Nalgonda											
Total for w/e 28-5-55				193	72							Mohbubnagar				5	2						
7-yearly mean for the week				189	113	101	27					Hyderabad				1	1						
												TOTAL				10	5						
Vindhya Pradesh								Jammu and Kashmir															
"N.R."								"N.R."															
West Bengal								Madhya Bharat															
								"N.R."															
Burdwan			5	1	4							Mysore											
Birbhum												Hassan				9	1						
Bankura			17	7	1							Shimoga			27	17							
Midnapur			2	1	5	1						Mandya			11	7							
Hooghly			17	9								TOTAL			38	24	9						
Howrah			104	51	3	3						Patiala & East Punjab States Union											
24-Parganas			73	37	2							TOTAL				10							
Calcutta			214	74	1	1						Rajasthan											
Nadia			5	4								"N.R."											
Jalpaiguri					2							Saurashtra											
TOTAL		437	184	18	5							"N. R."											
(Estd. mid-year pop. 26,098 thousands.)												Travancore-Cochin											
Total for w/e 4-6-55		428	185	19	16							TOTAL											
Total for w/e 28-5-55		650	274	24	11							Grand total for States Part (B)			38	24	29						
7-yearly mean for the week				418	222	95	32					Grand total for States Parts (A), (B) & (C)			753	296	1149						

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th June, 1955—concl'd.

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
ARREAR INFORMATION																Rajasthan																															
w/c 28-5-55																w/c 19-3-55																															
TOTAL																TOTAL																															
72																16																															
..																..																															
..																..																															
Madhya Pradesh																Bhopal																															
w/c 4-6-55																w/c 26-3-55																															
w/c 19-3-55																w/c 2-4-55																															
TOTAL																TOTAL																															
43																69																															
7																11																															
..																..																															
..																..																															
w/c 9-4-55																w/c 16-4-55																															
TOTAL																TOTAL																															
61																99																															
8																12																															
..																..																															
..																..																															
w/c 23-4-55																w/c 30-4-55																															
TOTAL																TOTAL																															
89																107																															
19																17																															
..																..																															
..																..																															
w/c 7-5-55																w/c 7-5-55																															
TOTAL																TOTAL																															
67																15																															
..																..																															
..																..																															
Jammu & Kashmir																Jammu & Kashmir																															
w/c 7-5-55																w/c 7-5-55																															
TOTAL																TOTAL																															
10																10																															
..																..																															
..																..																															
w/c 14-5-55																w/c 14-5-55																															
TOTAL																TOTAL																															
24																24																															
3																3																															
..																..																															
..																..																															
w/c 21-5-55																w/c 21-5-55																															
TOTAL																TOTAL																															
11																11																															
1																1																															
..																..																															
..																..																															
POLIOMYELITIS																POLIOMYELITIS																															
(Information based on patients treated in hospitals in important towns)																(Information based on patients treated in hospitals in important towns)																															
Place																Period																															
Cases																Cases																															
Punjab (I)																16-31 May 55																															
21																(Paretic)																															
Explanation of Symbols used; C.=Cases; D.=Deaths; ..=Nil.																Explanation of Symbols used; C.=Cases; D.=Deaths; ..=Nil.																															

NEW DELHI-2 (INDIA) ;
The 4th July, 1955.

K. MITRA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th June, 1955

Town	Mid-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Parts A and C)																
"N. R."																
Ajmer																
Andhra																
Adoni	61	44	37.5	1	1	..	10	8.5
Anantpur	36	24	34.6	1	2	2	..	9	13.0	3
Anakapalli	45	33	38.1	8	3	3	..	27	31.2
Bhimavaram	35	11	16.4	1	5	7.4	1
Chirala	42	15	18.6	3	..	2	..	7	8.7	1
Chittoor†																
Cuddapah	41	11	14.2	1	..	8	10.3	2
Eluru	97	29	15.5	2	3	18	9.6	3
Gudivada	35	16	23.8	5	..	2	1	9	13.4	1
Guntur	143	94	34.2	9	3	10	1	48	17.4	7
Guntakal	36	22	31.7	3	1	2	..	11	15.8
Kakinada†																
Kurnool †																
Masulipatnam	86	61	36.8	4	..	1	..	19	11.5	5
Nandyal	37	20	28.1	4	5	2	..	11	15.4	3
Nellore	92	102	57.3	5	7	5	..	49	27.5	10
Proddatur†																
Rajahmundry	119	57	24.9	9	3	1	..	47	20.5	7
Tenali	65	32	25.6	4	..	1	2	13	10.4	2
Vijayawada	194	84	22.7	8	3	1	..	39	10.5
Visakhapatnam	134	61	25.7	2	3	4	6	..	39	16.4	8
Vizianagram	74	36	27.4	3	..	3	..	35	24.6	11
TOTAL	1,362	755	28.8	2	69	33	45	7	404	15.4	64			
Assam																
"N. R."																
Bengal																
Ahmedabad	870	539	31.9	27	10	54	1	269	16.1	111
Ahmednagar	87	72	43.0	1	4	3	..	22	13.2	7
Amalner	49	38	40.3	10	17	18.0	5
Bagalkot	36	23	32.2	5	..	2	..	12	17.3	1
Baroda	237	142	31.1	15	2	14	..	54	11.8	16
Barshi	45	35	40.4	4	9	10.4	4
Belgaum†	109	37	17.9	5	2	2	..	22	10.5	4
Bijapur	61	61	52.0	..	3	..	17	..	2	..	33	28.8	8
Bilaspur	73	28	19.5	2	..	3	..	8	5.7	1
Bombay†																
Boroch†																
Cambay	41	26	32.9	2	3	1	..	13	16.5	3
Chalisgaon	34	28	42.8	4	6	9.2	4
Dharwar†																
Dhulia	87	50	29.9	6	14	8.4	8
Gadag Betgeri	70	49	36.4	10	..	2	..	32	23.8
Godhra	40	38	49.4	6	..	1	..	13	16.9	3
Greater Bombay	3,335	1,354	21.1	..	1	..	4	36	108	2	650	10.1	188
Hubli	144	59	21.3	3	..	2	..	11	3.9	2
Jalgaon	77	27	18.2	7	..	2	..	15	10.1	4
Kalyan	70	133	24.5	3	..	2	..	13	9.7	3
Kolhapur	155	115	38.6	2	3	12	..	41	13.8	10
Malegaon	62	41	34.4	20	2	2	..	29	24.3	3
Miraj	44	30	35.4	1	1	12	14.2	2
Nadlad	70	59	43.8	13	..	2	1	29	21.5	12
Nandurbar	34	25	38.2	6	..	1	..	10	15.3
Nasik	115	70	31.6	9	2	2	..	31	14.0
Navsari	49	24	25.5	9	10	10.6	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); "N.R."—Information not received...—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th June, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Pandharpur	44	28	33·1	6	7	4	..	23	26·0	15	
Patan	46	32	36·3	2	..	2	..	13	14·7	6	
Poona	584	324	28·8	5	24	2	136	12·1	51	
Sangli	57	27	24·6	1	1	2	..	17	15·5	2	
Satara	40	25	32·5	2	..	1	..	10	13·0	4	
Sholapur	293	240	42·5	11	..	19	..	63	11·2	12	
Surat	245	149	31·2	13	3	18	..	79	16·7	8	
Thana†														
TOTAL	7,303	3,828	27·3	..	4	..	225	80	288	7	1,715	12·2	502	
Delhi State														
Delhi City	1,085	611	29·3	—	—	..	189	7	30	1	319	15·3	93	
New Delhi	355	162	23·7	9	3	19	..	111	16·3	20	
N.A.C. Civil Station, Delhi	111	75	35·1	..	1	..	2	1	4	..	18	8·4	8	
Delhi Cantt.	49	29	30·8	2	2·1	..	
Delhi-Shahdara	51	42	42·8	9	1	2	..	13	13·3	4	
TOTAL	1,651	919	28·9	—	1	—	209	12	55	1	463	14·6	125	
Madhya Pradesh														
Achalpur	38	23	31·4	11	16	21·9	8	
Akola	101	39	20·1	—	7	1	1	4	28	14·4	5	
Amravati	98	128	67·9	13	2	3	..	43	22·8	13	
Bilaspur	40	18	23·4	8	..	1	..	26	33·8	9	
Burhanpur	77	63	45·9	..	8	..	13	2	30	20·3	..	
Chanda†														
Chhindwara	30	9	15·6	..	3	..	2	1	1	..	12	20·8	5	
Damoh†														
Gondia†														
Hinganghatt†														
Jabalpur†														
Khandwa	58	30	26·9	..	2	..	2	2	7·1	..	
Khangaon†														
Kamptee †														
Murwar†														
Nagpur†														
Sagar†														
Raipur†														
Raigarh†														
Wardha†														
Yeotmal	40	21	27·3	1	1	7	4·1	2	
TOTAL	482	331	35·7	..	13	..	57	7	6	4	170	18·3	42	
Madras														
Ambur	44	15	17·7	1	6	7·1	..	
Aruppukottai	54	53	51·0	1	4	6	..	20	19·3	8	
Bodinayakanur†														
Cannanore	46	24	27·1	1	..	1	..	7	7·9	1	
Chidambaram	38	42	57·5	1	4	3	..	14	19·6	1	
Coimbatore	227	195	44·7	1	13	16	..	86	19·7	31	
Cuddalore	73	55	39·2	2	1	3	1	38	27·1	10	
Dindigul	88	57	33·7	1	2	2	..	20	11·8	5	
Erode	65	22	17·6	5	1	..	18	14·4	5	
Gobichetty Palayam	37	25	35·1	3	..	8	11·2	3	
Gudiyattam	51	16	16·3	4	1	2	..	13	13·3	3	
Kancheepuram	89	72	42·1	1	2	15	1	36	21·0	11	
Karalkudi	43	19	23·0	1	6	7·3	1	
Karur	48	33	35·7	4	1	1	1	23	24·9	5	
Kozhikode	173	170	51·1	18	25	14	2	121	36·4	18	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (including in total deaths), ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th June, 1955—*contd.*

Deaths from:—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I. D.
Madras—<i>contd.</i>													
Kumbakonam	102	67	34.2	3	1	1	..	23	11.7	4
Madras	1,649	1,280	40.4	73	122	218	2	716	22.6	218
Mangalore	133	87	34.0	2	8	1	27	10.6	5
Mathurai	415	333	41.7	13	18	50	4	176	22.1	52
Mayuram	48	43	46.6	5	5.4	3
Melapalayam	40	20	26.0	2	1	2	..	8	10.4	3
Nagapattinam	60	39	33.8	6	2	1	..	27	23.4	1
Ottacamund	46	24	27.1	1	6	..	13	14.7	4
Palani	39	27	36.0	4	5	1	19	25.3	1
Palayamkottai	44	43	50.8	4	..	2	2	17	20.1	2
Palghat	76	80	54.7	4	5	..	31	21.2	6
Periyakulam	33	20	31.5	1	2	3	1	11	17.3	3
Pollachi	49	34	36.1	2	..	1	..	8	8.5	3
Pudukottai	49	22	23.3	6	..	2	1	19	20.2	3
Rajapalayam	67	43	33.4	3	6	5	..	33	25.6	6
Salem	234	145	32.2	6	5	11	1	57	12.7	6
Srirangam	41	41	52.0	7	8.9	2
Srivilliputtur	43	31	37.5	6	17	20.6	3
Tanjore	115	106	47.5	1	2	4	..	51	23.1	12
Tellicherry	42	23	28.5	1	1	3	..	17	21.0	3
Tiruchirappalli	245	125	26.5	4	16	..	79	16.8	9
Tirunelveli	79	46	30.3	2	1	5	..	22	14.5	7
Tiruppur	61	46	39.2	1	3	..	12	10.2	2
Tiruvannamalai	44	27	31.9	1	1	4	..	11	13.0	5
Tuticorin	109	85	40.6	4	9	2	35	16.7	14
Vaniyambadi	42	29	35.9	2	3	9	11.1	6
Vellore	121	130	55.9	2	5	14	4	55	23.6	3
Villupuram	39	49	65.3	4	4	..	15	20.0	3
Virudunagar	51	66	67.3	5	6	2	..	21	21.4	5
TOTAL	5,192	3,908	39.1	174	258	451	24	1,957	19.6	496
Orissa													
Berhampur	70	25	18.6	2	2	1	..	10	7.4	3
Cuttack	114	108	49.4	5	3	8	1	39	17.8	7
Puri	53	28	27.5	9	2	3	..	21	20.7	4
TOTAL	237	161	35.4	16	7	12	1	70	15.4	14
Punjab (I)													
Ambala	64	46	37.5	6	1	2	..	15	12.2	3
Amritsar	335	166	25.8	11	50	1	107	16.7	46
Batala	61	29	24.8	5	1	3	..	10	8.5	1
Bhilwani	56	41	38.2	18	..	1	..	30	28.0	9
Ferozepore	43	20	24.2	1	..	2	..	7	8.5	2
Hissar	38	28	38.4	4	..	1	..	12	16.5	4
Hoshiarpur	50	15	15.6	1	..	4	..	8	8.3	3
Jullundur	194	124	33.3	1	4	4	..	30	8.1	5
Karnal	69	39	29.5	5	..	1	2	15	11.3	3
Ludhiana	172	149	45.2	19	35	10.6	8
Moga	40	24	31.3	2	..	3	..	30	16.9	5
Paipat	62	41	34.5	9	..	3	..	17	14.3	5
Pathankot	33	20	31.6	4	..	1	..	5	7.9	1
Rewari	36	22	31.9	8	..	1	..	12	17.4	4
Rohtak†													
Simla	49	27	28.7	5	5.3	1
Sonapat†													
TOTAL	1,302	791	31.7	83	17	76	3	321	12.9	100

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th June, 1955—contd.

		Deaths from :—													
Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Uttar Pradesh															
Agra	367	233	33.1	5	7	100	..	181	25.7	57		
Allahabad	342	146	22.2	5	2	36	..	77	11.7	17		
Amroha	60	46	40.0	7	4	12	2	44	38.2	15		
Bahraich	46	27	30.6	5	1	1	..	18	20.4	5		
Banaras	375	228	31.7	..	2	..	76	13	31	..	234	32.5	48		
Balla†															
Banda	32	8	13.0	..	1	..	2	4	6.5	1		
Baroilly	201	58	15.0	9	..	9	..	31	8.0	4		
Bijnor†															
Budaun	54	25	24.1	4	..	5	..	14	13.5	1		
Basti†															
Bulandshahr	41	6	7.6	7	7	8.9	1		
Chandauli	40	28	36.5	2	3	2	..	15	19.5	1		
Dehra Dun†															
Etawah	63	50	41.4	30	2	12	..	64	53.0	15		
Faizabad-Ayodhya	85	26	15.9	8	..	2	1	13	8.0	4		
Farrukhabad-Fatehgarh	81	32	20.6	14	1	10	..	30	19.3	9		
Ferozabad	76	29	19.9	5	1	1	..	8	5.5	2		
Ghaziabad	45	21	24.3	18	24	27.8	12		
Ghazipur	36	25	36.2	7	..	1	..	15	21.7	2		
Gorakhpur	137	47	17.9	..	1	..	15	9	11	..	53	20.2	20		
Gonda	34	10	15.3	4	2	8	12.3	3		
Hapur	48	35	30.1	5	1	4	..	14	15.2	4		
Hardwar	63	24	19.9	11	2	23	19.0	10		
Hathras	61	31	26.5	27	3	4	..	51	43.6	24		
Jaunpur	56	15	14.0	3	..	4	..	12	11.2	1		
Jhansi	115	88	39.9	64	1	1	..	76	34.4	30		
Kanpur	716	318	22.3	..	4	..	103	17	43	3	291	20.4	88		
Kaeganj	34	4	6.1	5	7	10.7	1		
Khurja	40	18	23.5	4	..	1	1	13	16.9	5		
Koili-Aligarh	148	65	22.9	10	3	3	1	26	9.2	5		
Lucknow†															
Mathura	108	49	23.6	16	2	2	..	27	13.0	9		
Mau-Nath Bhanjan†															
Meerut	181	131	37.7	16	2	13	2	45	13.0	11		
Mirzapur-Vindhyachal	95	42	23.0	17	..	3	1	28	15.4	6		
Moradabad	163	100	32.0	11	..	16	..	47	15.0	12		
Muzaffarnagar	72	34	24.6	4	10	7.2	..		
Pilibhit	45	22	25.5	..	8	..	13	3	1	..	40	46.3	9		
Rampur	154	3	1.0	2	30	1.0	..		
Saharanpur	158	109	36.0	54	1	4	..	70	23.1	22		
Sambhal	64	49	39.9	9	4	5	..	31	25.2	9		
Shahjahanpur	99	62	32.6	..	2	..	24	1	1	2	40	21.0	14		
Sitapur	48	27	29.3	5	1	18	19.5	8		
TOTAL	4,583	2,271	25.8	..	18	..	626	86	338	13	1,712	19.5	485		

West Bengal

N. R.

STATES—(Part 'B')**Jammu & Kashmir**

N. R.

Madhya Bharat

Mandsaur	40	27	35.1	..	1	2	2.6	1
Ratlam	71	26	19.0	..	1	..	7	1	5	5	20	14.5	..
Greater Gwalior	267	57	11.1	..	2	..	20	2	2	..	57	11.1	4
Ujjain	151	30	10.3	7	3	25	8.6	..
Indore	357	244	35.5	20	4	9	1	84	12.2	36

TOTAL 886 384 22.5 .. 4 .. 54 10 16 6 188 11.0 41

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimated may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th June, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Mysore State														
Bangalore City†														
Davanagere . . .	67	26	23.3	2	9	8.6	..	
Kolar Gold Fields . . .	170	101	30.9	6	3	4	..	35	10.7	..	
Mysore City . . .	285	100	21.0	..	—	..	6	1	3	..	40	8.4	..	
TOTAL . . .	522	227	22.6	14	4	7	..	84	8.4	..	
PEPSU														
Patiala City . . .	108	50	24.1	8	..	7	1	42	20.2	11	
Malerkotla City . . .	34	15	22.9	6	7	10.7	2	
Bhatinda . . .	38	22	30.1	7	1	1	..	13	18.3	..	
TOTAL . . .	180	87	25.1	21	1	8	1	62	17.9	13	
Rajasthan														
Alwar . . .	60	18	15.6	..	10	..	8	2	1	..	43	37.3	6	
Bharatpur†														
Bikaner . . .														
Churu . . .	46	3	3.4	1	4	4.6	1	
Ganganagar . . .	45	6	1	1	..	12	13.9	3	
Tonk† . . .														
Kotah . . .	71	9	6.6	..	4	..	13	..	2	..	23	16.8	5	
Sikar† . . .														
Jaipur † . . .														
Udaipur . . .	103	6	3.0	..	1	..	5	2	2	..	12	6.0	4	
Jodhpur . . .	196	32	8.5	..	12	..	19	3	8	2	58	15.4	22	
TOTAL . . .	521	68	6.8	..	27	..	52	8	14	2	152	15.2	41	
Saurashtra														
"N.R."														
Travancore-Cochin														
Nagercoil . . .	91	40	22.8	3	3	11	6.3	1	
Trivandrum . . .	213	789	192.6	3	3	5	..	28	6.8	3	
Quilon . . .	73	151	107.6	1	1	7	5.0	4	
Alleppey . . .	142	100	36.6	1	1	1	1	22	8.1	7	
Changanacherry . . .	40	20	26.0	4	5.2	..	
Kottayam . . .	49	37	39.3	8	8.5	..	
Mattanchery . . .	83	152	95.2	2	4	2	..	33	20.7	3	
Ernakulam . . .	69	34	25.6	1	..	1	..	19	14.3	4	
Trichur . . .	75	84	58.2	2	..	2	1	14	9.7	1	
TOTAL . . .	835	1,407	87.6	13	12	11	2	146	9.1	23	

ARREAR RETURNS

Bhopal														
Bhopal w/c	9-4-55	114	70	31.9	2	..	1	..	7	3.2	..	
Bhopal w/c	16-4-55	114	62	28.3	..	1	5	..	2	..	9	4.1	..	
Bhopal w/c	23-4-55	114	77	35.1	3	..	3	..	10	4.6	..	
Bhopal w/c	30-4-55	114	78	35.6	1	5	2.3	..	
Bhopal w/c	7-5-55	114	82	37.4	4	..	1	..	7	3.2	..	
Bhopal w/c	14-5-55	114	76	34.7	5	..	1	..	16	7.3	..	
Madhya Bharat														
<i>For w/c the 28th May, 1955</i>														
Greater Gwalior . . .		267	87	16.9	5	14	2.7	..	
Ujjain . . .		151	42	14.5	12	34	11.7	..	
Mandsaur . . .		40	5	6.5	2	2	2.6	..	
Ratlam . . .		71	15	11.0	6	..	2	..	13	9.5	3	
TOTAL . . .		529	149	14.6	25	..	2	..	63	6.2	3	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information "N. R."—information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th June, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
ARREAR RETURNS														
Bihar														
For w/e the 28th May, 1955														
Patna Corporation	321	132	21.4	10	2	1	..	61	9.9	..	
Bihar	67	10	7.8	3	5	3.9	..	
Dinapur	44	2	2.4	1	..	1	1.2	..	
Gaya	144	40	14.3	1	20	2	10	..	52	18.5	..	
Arrah	69	2	1.6	2	2	1.6	..	
Chapra	68	21	16.1	4	6	4.6	1	
Bettiah	38	21	28.7	2	..	1	..	9	12.3	1	
Darbhanga	92	11	6.2	5	..	1	..	19	10.7	..	
Monghyr	79	11	7.2	2	..	3	..	7	4.6	..	
Jamalpur	46	2	2.3	
Ranchi	126	19	7.8	1	2	..	1	..	11	4.5	..	
Purulia	46	7	7.9	4	4	4.5	..	
Jamshedpur	241	88	18.3	..	1	..	3	1	16	3.5	6	
Katihar	49	3	3.2	1	1	3	3.2	..	
Hazaribagh	38	44	60.2	1	2	22	30.1	3	
Dhanbad	40	11	14.3	1	5	6.5	..	
TOTAL	1,508	424	14.6	2	1	..	56	12	18	..	223	7.6	11	
Travancore-Cochin														
For w/e the 4th June 1955														
Nagercoil	91	36	20.6	2	1	11	6.3	3	
Trivandrum	213	104	25.3	4	1	3	..	22	5.4	3	
Quilon	73	103	73.4	1	..	9	6.4	..	
Alleppey	142	96	35.1	4	2	..	2	25	9.2	5	
Changanachery	40	12	15.6	2	2	1	..	15	18.3	..	
Kottayam	49	367	389.4	2	2.1	..	
Mattanchery	83	96	60.1	1	..	17	10.6	1	
Ernakulam	69	74	55.8	2	13	9.8	3	
Trichur	75	72	49.9	3	7	4.9	1	
TOTAL	835	960	59.8	14	9	6	2	121	7.5	16	
Bombay														
Malegaon	w/e 12-2-55	62	45	37.7	..	1	..	14	1	2	..	20	16.8	2
Sholapur	26-2-55	293	237	42.1	10	5	26	1	81	14.4	16
Kalyan	26-2-55	70	37	27.5	4	..	3	..	12	8.9	3
„	5-3-55	70	20	14.8	1	..	2	..	7	5.2	1
Malegaon	5-3-55	62	55	46.1	..	6	..	15	1	7	..	31	26.0	..
Kalyan	12-3-55	70	14	10.4	1	..	7	5.2	1
Sholapur	5-3-55	293	244	36.4	12	7	32	..	82	14.4	19
Malegaon	12-3-55	62	45	37.7	..	4	..	13	1	1	..	20	16.8	5
„	19-3-55	62	29	24.4	2	..	1	..	8	6.7	2
Broach	9-4-55	66	43	33.9	10	..	3	..	18	14.2	7
Malegaon	23-4-55	62	34	28.5	11	17	14.2	2
Cambay	8-5-55	41	22	27.9	..	3	..	12	15	19.0	3
West Bengal														
For w/e the 21st May, 1955														
Baidyabati	33	11	17.4	1	5	7.9	2	
Bally	65	2	1.6	1	1	1	..	4	2.4	1	
Bankura	50	6	6.3	..	1	..	1	6	6.3	..	
Baranagar	39	34	45.5	7	4	1	2	..	24	32.1	..	
Basirhat	87	1	0.6	1	1	0.6	..	
Berhampur	62	26	21.9	5	1	1	..	15	12.6	1	
Bhadreswar	34	4	6.1	1	2	5	7.7	1	
Bhatpara	141	23	8.5	2	17	1	3	1	40	14.8	11	
Burdwan	81	14	9.0	1	1	3	..	10	6.4	..	
Calcutta	2,931	990	17.6	55	2	..	52	76	135	..	653	11.6	187	
Chanddani	40	16	20.9	1	1.3	..	
Darjeeling	37	16	22.5	3	..	2	..	9	12.7	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th June, 1955—*concl'd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal—contd.															
Garden Reach	121	17	7'3	3	5	..	1	..	15	6'5	1		
Hallsahar	40	2	2'6		
Hooghly-Chinsura	60	24	20'9	1	1	1	2	..	13	11'3	5		
Howrah	471	97	10'7	14	2	..	3	19	49	..	137	15'2	44		
Kanchrapara	71	1	0'7	..	3	3	2'2	..		
Krishnagar	55	1	0'9	1	3	2'8	..		
Midnapore	44	23	27'3	1	1	3	..	13	15'4	..		
Nabadwip	67	19	14'8	5	5	..	1	..	13	10'1	2		
Naihati	61	6	5'1	1	1	1	..	5	4'3	1		
North Barrackpore	36	5	7'2	1	1	3	4'3	..		
Santipur	48	13	14'1	2	2'2	..		
Serampur	82	19	12'1	5	8	5	1	..	32	20'3	7		
Siliguri	42	12	14'9	1	1'2	..		
South Dum Dum	79	1	0'7		
South Suburban	120	10	4'3	2	1	1	4	..	14	6'1	1		
Titagarh	76	23	15'8	20	..	2	..	25	17'2	5		
TOTAL	5073	1416	14'6	98	8	..	130	112	211	1	1051	10'8	269		

West Bengal

For w/e the 28th May, 1955

Baldyabati	33	6	9'5	4	6'3	2
Bally	65	6	4'8	1	1	0'8	..
Bankura	50	2	2'1
Baranagar	39	18	24'1	2	3	2	1	..	17	22'7	..
Basirhat	87	6	3'6	1	2	1'2	..
Berhampur	62	31	26'1	4	..	3	..	19	16'0	5
Bhadreswar	34	8	12'3	1	..	5	7'7	1
Bhatpara	141	23	8'5	10	2	2	..	30	11'1	10
Budge-Budge	32	6	9'8	1	1	5	8'1	1
Burdwan	81	8	5'1	1	5	3'2	..
Calcutta	2,931	1,064	18'9	73	2	..	64	94	138	5	714	12'7	180
Champdani	40	9	11'7	1	1'3	..
Darjeeling	37	15	21'1	3	4	5'6	..
Garden-Reach	121	17	7'3	4	3	..	1	..	11	4'7	1
Hallsahar	40	2	2'6	2	2'6	..
Howrah	471	116	12'8	13	4	..	8	13	30	..	120	13'3	28
Kanchrapara	71	1	0'7	..
Krishnagar	55	1	0'9
Midnapore	44	92	109'0	13	15'4	..
Nabadwip	67	21	16'3	6	12	..	1	..	20	15'6	1
Naihati	61	2	1'7	1	1	..	8	6'8	..
North Barrackpore	36	6	8'7	1	1'4	..
Shantipur	48	7	7'6	2	2'2	..
Serampore	82	23	14'6	3	3	2	5	..	28	17'8	5
Siliguri	42	10	12'4	1	1	1	1	5	6'2	..
South Dum-Dum	79	3	2'0
South Suburban	120	22	9'6	1	1	2	..	8	3'5	3
Titagarh	76	24	16'5	22	2	4	..	31	21'3	7
TOTAL	5,045	1,548	16'0	104	6	..	133	120	190	7	1057	10'9	244

Punjab (I)

Hissar w/e 4-6-55	38	16	21'9	5	..	1	..	8	11'0	3
Bhiwani „ 4-6-55	56	39	36'3	10	5	2	..	21	19'6	9
Batala „ 4-6-55	61	28	23'9	8	9	7'7	3
Pathankot „ 4-6-55	33	18	28'4	4	1	1	..	8	12'6	..

Rajasthan

Jodhpur „ 4-6-55	196	40	10'6	19	..	19	5'0	..
------------------	-----	----	------	----	----	----	----	----	----	----	----	-----	----

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 11th June, 1955 relate to 187 towns with an estimated population of 25,056 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 62% of the total number of towns representing 64% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 15,137 and 7,444 representing birth and death rates of 31.4 and 15.5 per thousand of population, respectively.

(a) *States (Parts A & C).*—The data here relate to 162 towns with an estimated population of 23,112 thousands. Information about Ajmer, Bihar, Assam, Bhopal, and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 64% of the total number of towns representing 68% of the total population is covered. The number of births and deaths

recorded in these towns were 12,964 and 6,812 representing birth and death rates of 30.5 and 16.0 per thousand of population, respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Parts B).*—The data here relate to 25 towns with an estimated population of 2,944 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 52% of the total number of towns representing 46% of the total population is covered. The number of births and deaths recorded in these towns were 2,173 and 632 representing birth and death rates of 38.4 and 11.2 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/c 11-6-55		Corresponding w/c last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra	28.8	15.4	32.4	13.9	†	†
Bombay	27.3	12.2	23.8	12.3	28.3	16.3
Delhi	28.9	14.6	21.3	7.3	27.9	11.6
Madhya Pradesh .	35.7	18.3	16.1	11.0	22.6	18.5
Madras	39.1	19.6	37.3	18.2	38.7	19.6
Orissa	35.4	15.4	36.9	18.5	†	†
Punjab (I)	31.7	12.9	27.4	10.2	23.8	11.8
Uttar Pradesh . .	25.8	19.5	19.8	14.9	24.4	19.8
India (only States Parts A and C).	30.5	16.0	27.3	14.5	27.1	17.0

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 4th July, 1955 }

K. MITRA,
for Registrar General, India.

